

Home > SSD > GIGABYTE SSD 120GB

GIGABYTE SSD 120GB

Key Features Specification Support

Buy

Where To Buy

News & Awards

Online Store

GP-GSTFS31120GNTD / -V

Interface	SATA 6.0Gb/s
Form Factor	2.5-inch internal SSD
Total Capacity	120GB
NAND	NAND Flash
External DDR Cache	N/A
Sequential Read speed	up to 500 MB/s ; Minimum 350 MB/s
Sequential Write speed	up to 380 MB/s ; Minimum 280 MB/s
Random Read IOPS	Up to 50k
Random Write IOPS	Up to 60k
Dimension	69.85 x 7 x 100 mm

Mean time between failure (MTBF)	2M hours
Power Consumption (Active)	Average: R : 2240mW; W : 2610mW
Power Consumption (Idle)	170mW
Temperature (Operating)	0°C to 70°C
Temperature (Storage)	-40°C to 85°C
Warranty	<div>1. Limited 3-years or 75TBW</div> <div>2. Limited warranty based on 3 years or 75TBW, whichever comes first.</div> <div>*TBW (Terabyte Written):Terabytes Written is the total amount of data that can be written into an SSD before it is likely to fail.</div> <div>3. The "percentage of SSD life" (SMART ID: E7 or A9) in SMART page of the "GIGABYTE SSD toolbox" program will be used as the determining criteria when the number is 0 means out of warranty. (A new unused product will show the percentage of 100.)</div>
Note	<div>• Test system configuration: configuration may vary by models; we will choose the latest platform for verification.</div> <div>• Performance may vary based on SSD's firmware version and system hardware & configuration. Sequential performance measurements based on CrystalDiskMark and IOmeter 1.1.0.</div>

- Speeds based on internal testing. Actual performance may vary.
- 1GB = 1 billion bytes. Actual useable capacity may vary.

* The entire materials provided herein are for reference only. GIGABYTE reserves the right to modify or revise the content at anytime without prior notice.

* Advertised performance is based on maximum theoretical interface values from respective Chipset vendors or organization who defined the interface specification. Actual performance may vary by system configuration.

* All trademarks and logos are the properties of their respective holders.

* Due to standard PC architecture, a certain amount of memory is reserved for system usage and therefore the actual memory size is less than the stated amount.



Where To Buy



Online Store

DISCOVER	COMPANY	CONSUMER	ENTERPRISE	SOLUTION	SERVICE / SUPPORT
Join Us	About Us	Motherboard	Server Motherboard	Application Solutions	Consumer Products
Customer Care	CSR	Graphics Card	Rack Server	Industry Solutions	Enterprise Products
GIGABYTE Stable Models (GSM)	News	Laptop	GPU Server		Online Support
Business Center	Career	Monitor	High Density Server	RESOURCE	
	Investor	Desktop PC	Advanced Cooling	Insight	
	Contact Us	PC Peripherals	ARM Server	Success Case	
		PC Components	Storage Server	Awards	
			Edge Server	News	
			Tower Server / Workstation	Events	

Embedded
Computing

FOLLOW US



 **U.S.A.**
(English)

©2024 GIGA-BYTE Technology Co., Ltd. All rights reserved.
[Terms Of Use](#) | [Privacy Policy](#) | [Site Map](#)